



NOTE:  
 1. OCEANSERVER PROVIDES A SELECTION OF CABLE ASSEMBLIES FOR USE WITH THE BATTERY MODULE  
 2. CONNECTOR J10 IS MEANT FOR USE IN OCEANSERVER STACKING APPLICATIONS ONLY

UNLESS OTHERWISE SPECIFIED	NAME	DATE
DRAWN	MSS	12/17/05
DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± 1/32 ANGULAR: MACH ± .5° BEND ± 1° TWO PLACE DECIMAL ± .010 THREE PLACE DECIMAL ± .005	MODIFIED	
INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED	
MATERIAL	ENG APPR.	JCC 12/22/05
FINISH	MFG APPR.	MFH 12/22/05
DO NOT SCALE DRAWING	Q.A.	
	<b>PROPRIETARY AND CONFIDENTIAL</b> THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF OCEANSERVER TECHNOLOGY, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF OCEANSERVER TECHNOLOGY, INC. IS PROHIBITED.	



TITLE: MP-04FR  
 PC-104 OUTLINE  
 BATTERY MANAGEMENT MODULE  
 HIGH CURRENT, PARALLEL

CONNECTOR	NOTES
J17, J22, J12, J21	MATES WITH (MOLEX MINIFIT™) PART# 39-01-2060
J5, J7	MATES WITH (MOLEX MINIFIT™) PART# 39-01-2020
J13	MATES WITH (MOLEX MINIFIT™) PART# 39-01-2080
J1	STANDARD 2 X 4, .100 X .100 INCH CENTERLINE
J8, J9	STANDARD 2 X 5, .100 X .100 INCH CENTERLINE

SIZE	DWG. NO.	REV
<b>A</b>	92-02000-40	1.3
SCALE:	WEIGHT:	SHEET 1 OF 1